

EUROFLEX[®]



STECHSCHUTZSCHÜRZEN
APRON

Schürzen / Aprons „ergonomische Passform“ Light *^① / Twice *^②



DIN EN 13998:2003

*^① Light | EFL | Draht / wire 0,72 mm | Ring / ring 7 mm

*^② Twice | EF4 | Draht / wire 0,57 mm | Ring / ring 4 mm

	Größe Size	Benutzergröße User high	Brust- / Taillenumfang Chest or waist
EF* 70	70 x 50 cm	146 - 166 cm	82 - 111 cm
EF* 75	75 x 50 cm	156 - 178 cm	82 - 111 cm
EF* 80	80 x 55 cm	166 - 190 cm	89 - 122 cm
EF* 85	85 x 555 cm	177 - 202 cm	89 - 122 cm





Oben mit doppelter Befestigungsvorrichtung für eine individuelle und noch bessere Benutzeranpassung.

With double fastening at the top for an individual and an even better fit.



Mit flexibler Edelstahlaussteifung. Sicherer und bequemer Tragekomfort mit uneingeschränkter Bewegungsfreiheit.

Breite X-Tragegarnitur inklusiv, die auch als original Ersatzteil in unserer bekannten Signalfarbe Rot (oder in Weiß) erhältlich ist.

With flexible stainless-steel reinforcement for unrestricted freedom of movement.

Includes wide X-strap harness, also available as original replacement part in our familiar red signal colour (or in white).

EUROFLEX[®]

D

GB



BOLEROSCHÜRZEN TUNIC

BOL 2



BO Twice



BOL



BOL 2



Heilemann Sicherheitstechnik GmbH

Industriestr. 55 • 75417 Mühlacker (Germany)

Tel. +49 (0) 70 41-81416-0 • Fax +49 (0) 70 41-81416-18

info@euroflex-safety.de • www.euroflex-safety.com